



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/645,871	08/23/2000		Eric C. Peters	A0001-003013	3852
26653	7590	11/03/2005	•	EXAMINER	
KRISTOFE 187 PELHA			NGUYEN, LE V		
WAYLAND				ART UNIT	PAPER NUMBER
				2174	**

DATE MAILED: 11/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applicati	on No.	Applicant(s)					
Office Action Summary			71	PETERS ET AL.					
			•	Art Unit					
		Le Nguye	n	2174					
The MAILING Period for Reply	DATE of this communic	cation appears on the	cover sheet with the c	correspondence ad	dress				
WHICHEVER IS LON - Extensions of time may be after SIX (6) MONTHS from - If NO period for reply is spe - Failure to reply within the significant of the significan	ATUTORY PERIOD FONGER, FROM THE MA available under the provisions on the mailing date of this communicified above, the maximum state of or extended period for reply working the safe of t	ALING DATE OF THE 137.CFR 1.136(a). In no evenication. In the properties of the prop	HIS COMMUNICATION ent, however, may a reply be tin ill expire SIX (6) MONTHS from lication to become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).	•				
Status									
1) Responsive to	communication(s) filed	I on <i>8/4/05</i> .							
2a)⊠ This action is F	·								
3) Since this appl									
closed in accor	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
4)⊠ Claim(s) <u>15-69</u>	4)⊠ Claim(s) <u>15-69</u> is/are pending in the application.								
4a) Of the abov	4a) Of the above claim(s) is/are withdrawn from consideration.								
5)⊠ Claim(s) <u>51-64</u>	Claim(s) <u>51-64</u> is/are allowed.								
·	Claim(s) <u>15-50 and 65-69</u> is/are rejected.								
· _ · · · · · · · · · · · · · · · · · ·	•								
8) Claim(s)	are subject to restrict	ion and/or election r	equirement.						
Application Papers									
9) The specification	n is objected to by the	Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.									
, , , , , , , , , , , , , , , , , , ,	ot request that any object								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
11) Line oath or dec	claration is objected to	by the Examiner. N	ote the attached Office	Action or form Pi	IO-152.				
Priority under 35 U.S.C	. § 119	•							
12) Acknowledgme	nt is made of a claim f	or foreign priority un	der 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:									
1. Certified	1. Certified copies of the priority documents have been received.								
2. Certified	2. Certified copies of the priority documents have been received in Application No								
· · · · · · · · · · · · · · · · · ·									
	on from the Internation	· ·							
* See the attached	d detailed Office action	for a list of the cert	fied copies not receive	ea.					
Attachment(s)									
1) Notice of References Cit		(0.049)	4) Interview Summary Paper No(s)/Mail D						
2) Notice of Draftsperson's3) Information Disclosure S			5) Notice of Informal F		D-152)				
Paper No(s)/Mail Date		•	6)						

DETAILED ACTION

- 1. This communication is responsive to an amendment filed 8/4/05.
- 2. Claims 15-69 are pending in this application; and claims 15, 21, 27, 33, 39, 45, 48, 51, 63, 65, 67 and 68 are independent claims. Claims 61-64 are allowed; and, claims 15, 21, 27, 33, 39, 45, 48, 65, 67 and 68 have been amended. This action is made Final.
- 3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 103

4. Claims 15–47, 65 and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Video Editing and Post Production: A Professional Guide 2d ed.* by Gary Anderson in view of Mitsubishi Owner Manual.

Claim 15, 21, 27, 33, and 39:

Video Editing by Gary Anderson teaches a processor that requires software that requires a computer readable medium for storing computer code (p. 66). Anderson teaches a random access computer readable medium for storing video information in one or more data files in a computer file system (p. 66). The memory is a readable medium. Anderson teaches a computer system for playing a motion video (p. 66). The video editor inherently teaches a method for playing a motion video. Anderson teaches a video editing system (p. 69 – 71). Anderson teaches a display (p. 66). Anderson

teaches a standard alphanumeric keyboard (p. 68). This keyboard is capable of inputting textual data. Anderson teaches a computing apparatus operative in response to user input to perform editing operations on the video information (p. 68). Further, Anderson teaches an operative in response to user input to display video information from one or more data files in a source video window in the display (p. 69). Anderson teaches an operative in response to user input for displaying results of the editing operations on the video information in an edited program window on the display (p. 69 -71). Anderson teaches an operative in response to a signal from a key on the standard alphanumeric keyboard to select one of the source video windows and edited video window for display (p. 68). The display screen is a window for editing and providing source information. Anderson teaches an operative in response to signals from a set of three adjacent keys from the standard alphanumeric keyboard to control shuttling of playback of the video information from the one or more data files in the selected window at a shuttle speed and in a shuttle direction (p. 69). Anderson teaches the first of three keys being a forward shuttling key (p. 69). Anderson teaches a second of three keys being for pausing (p. 69). Anderson teaches a third of three keys being for reverse shuttling (p. 69). Anderson teaches multiple successive actuations of the first key causes a change in forward shuttle speed (pg. 69; multiple successive actuations of a first key, "advance", along with activation of the "jog" function causes a change in the forward shuttle speed) and multiple successive actuations of the third key causes a change in reverse shuttle speed (pg. 69; multiple successive actuations of third key,

"retard", along with activation of the "jog" function causes a change in the reverse shuttle speed).

However, Anderson does not explicitly disclose a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed wherein the second key is between the first and third keys and wherein a first actuation of the second key after the first or second actuations of the first key or after the first or second key or after the first or second actuations of the third key causes the video material to be paused. Mitsubishi Owner Manual teaches a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first

reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed wherein the second key is between the first and third keys and wherein a first actuation of the second key after the first or second actuations of the first key or after the first or second key or after the first or second actuations of the third key causes the video material to be paused (fig. 4A; from right to left: selection of element 21 causes activation of the video material in the forward direction, selection of element 22 after 21 causes cessation/suspension/pausing of the video material in the forward direction and selection of 23 causes activation of the video material in the reverse direction during playback mode). Therefore, it would have been obvious to an artisan at the time of the invention to include Mitsubishi Owner Manual's teaching of a first and third key having differing shuttle speed wherein a first actuation of the second key after the first or second actuations of the first key or after the first or second key or after the first or second actuations of the third key causes the video material to be paused upon a second actuation and wherein the second key is between the first and third keys to Anderson's teaching of a first and third key having a shuttle speed in order to provide users with a layout indicative of related functions such as variable shuttle speeds.

Claim 16, 22, 28, 34, and 40:

Anderson teaches a video editing system wherein the change in the shuttle speed is in increments corresponding to a frame per second rate of the source (p. 69).

Claim 17, 23, 29, 35, and 41:

Anderson teaches the standard alphanumeric keyboard having 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout (p. 68 and 69).

Claim 18, 24, 30, 36, and 42:

Anderson teaches the third key also bearing a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause function and wherein the first key also bears a label indicative of a forward shuttling function (p. 68 and 69).

Claim 19, 25, 31, 37, and 43:

Anderson teaches the standard alphanumeric keyboard having 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout (p. 68 and 69).

Claim 20, 26, 32, 38, and 44:

Anderson teaches the third key also bearing a label indicative of a reverse shuttling function, wherein the second key also bears a label indicative of a pause

function and wherein the first key also bears a label indicative of a forward shuttling function (p. 68 and 69).

Page 7

Claim 45:

Anderson teaches an alphanumeric keyboard for use with a computerized video editing system operative in response to signals from a set of three keys from the alphanumeric keyboard to control shuttling of playback of video information (p. 68 and 69). Anderson teaches one or more data files stored on a random access computer readable medium in a computer file system (p. 66). Anderson teaches a display at a shuttle speed and in a shuttle direction such that a first of the three keys is for forward shuttling (p. 68 and 69). Anderson teaches a second of three keys being for pausing, a third of the three keys is for reverse shuttling, a second of three keys is for pausing, a third of the three is for reverse shuttling (p. 68 and 69). Anderson teaches multiple actuations of at least one of the first and third keys causing a change in the shuttle speed in the shuttle direction corresponding to the actuated key (p. 68 and 69).

Furthermore, Anderson teaches the standard alphanumeric keyboard having 36 alphanumeric keys disposed in a standard keyboard layout, and wherein the first of the three keys is a key that corresponds to "L" key in a QWERTY keyboard layout, the second of the three keys is a key that corresponds to a "K" key in a QWERTY keyboard layout and the third of the three keys is a key that corresponds to a "J" key in a QWERTY keyboard layout (p. 68 and 69). Anderson teaches the third key bearing a label indicative of a reverse shuttling function (p. 68 and 69). Anderson teaches the

second key bearing a label indicative of a pause function (p. 68 and 69). Anderson teaches a second key bearing a label indicative of a pause function (p. 68 and 69). Anderson teaches first key bearing a label indicative of a forward shuttling function (p. 68 and 69). Stop is a type of pause while play is a type of forward shuttling function. However, Anderson does not explicitly disclose a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed. Mitsubishi Owner Manual teaches a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a

change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed (fig. 4A; from right to left: selection of element 21 causes activation of the video material in the forward direction, selection of element 22 after 21 causes cessation/suspension/pausing of the video material in the forward direction and selection of 23 causes activation of the video material in the reverse direction during playback mode). Therefore, it would have been obvious to an artisan at the time of the invention to include Mitsubishi Owner Manual's teaching of a first and third key having differing shuttle speed wherein a first actuation of the second key after the first or second actuations of the first key or after the first or second key or after the first or second actuations of the third key causes the video material to be paused upon a second actuation and wherein the second key is between the first and third keys to Anderson's teaching of a first and third key having a shuttle speed in order to provide users with a layout indicative of related functions such as variable shuttle speeds.

Claim 46:

Anderson teaches a random access computer readable medium for storing video information in one or more data files in a computer file system (p. 66). The software taught by Anderson requires a random access computer readable medium for storing video information in one or more data files in a computer file system. Anderson teaches a standard alphanumeric keyboard (p. 68). Anderson teaches a display (p. 66). Anderson teaches a computing apparatus operative in response to user input to perform editing operations on the video information (p. 66). These windows demonstrate editing

operations. Anderson teaches an operative in response to the user input to display video information from the one or more data files on the display (p. 66). Anderson teaches an operative in response to signals from a set of four adjacent keys from the standard alphanumeric keyboard to control trimming of a selected transition in the video information (p. 68 and 69).

Furthermore, Anderson teaches a first of four keys for trimming a plurality of frames in a reverse direction (p. 68 and 69). Anderson teaches a second of four keys for trimming one frame in a reverse direction (p. 68 and 69). Anderson teaches a third of the four keys being trimmed one frame in a forward direction (p. 68 and 69). Anderson teaches a fourth of the four keys being for trimming a plurality of frames in a forward (p. 68 and 69). Anderson teaches the first key being a key that corresponds to an "M" key in a QWERTY keyboard layout, the second key being a key that corresponds to a "<" key in a QWERTY keyboard layout, the third key being a key that corresponds to a ">" key in a QWERTY layout, and the fourth key being a key that corresponds to a "f" key in a QWERTY keyboard layout (p. 68 and 69). Anderson teaches the first key bearing a label indicative of a function for reverse trimming of a plurality of frames (p. 68 and 69). Anderson teaches the second key also bearing a label indicative of a function for reverse trimming of one frame (p. 68 and 69). Anderson teaches the third key bearing a label indicative of a function for forward trimming of one frame (p. 68 and 69). Anderson teaches a fourth key bearing a label indicative of a function for forward trimming of a plurality of frames (p. 68 and 69).

Claim 47:

Anderson teaches a computerized video editing system that further operates in response to signals from a set of three adjacent keys form the standard alphanumeric keyboards for selecting a mode of a transition, such that a first of three keys selects trimming of a clip prior to the transition (p. 68 and 69). Anderson teaches three keys selecting trimming of clips both before and after the transition (p. 68 and 69). Anderson teaches a third of the three keys selecting trimming of a clip after the transition (p. 68 and 69). Anderson teaches the first key bearing a label indicative of a function for trimming of a clip prior to the transition (p. 68 and 69). Anderson teaches the second key bearing a label indicative of a function for trimming of clips both before and after the transition (p. 68 and 69). Anderson teaches the third key bearing a label indicative of a function for trimming of a clip after the transition (p. 68 and 69).

Claim 65:

Anderson teaches an apparatus operative in response to signals from a set of three adjacent keys from a standard alphanumeric keyboard to control shuttling of playback of video information (p. 68 and 69). Anderson teaches storing one or more data files on a random access computer readable medium in a computer file system (p. 68 and 69). Anderson teaches displaying at a shuttle speed and in a shuttle direction, such that a first of three keys is for forward shuttling (p. 68 and 69). Anderson teaches a second of three keys for pausing (p. 68 and 69). Anderson teaches a third of thee keys is for reverse shuttling wherein multiple actuations of at least one of the first and

third keys causes a change in the shuttle speed in the shuttle direction corresponding to the actuated key (p. 68 and 69).

However, Anderson does not explicitly disclose a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed. Mitsubishi Owner Manual teaches a first actuation of the first key in a paused condition causes images of the video material to be presented to the user at a first forward shuttle speed, a second actuation of the first key after the first actuation of the first key causes a change in forward shuttle speed from the first forward shuttle speed to a predetermined second forward shuttle speed that is faster than the first forward shuttle speed, a first actuation of the third key in the paused condition causes images of the video material to be presented to the user at a predetermined first reverse shuttle speed and a second actuation of the third key after the first actuation of the third key causes a change in reverse shuttle speed from the first reverse shuttle speed to a predetermined second reverse shuttle speed that is faster than the first reverse shuttle speed (fig. 4A;

from right to left: selection of element 21 causes activation of the video material in the forward direction, selection of element 22 after 21 causes cessation/suspension/pausing of the video material in the forward direction and selection of 23 causes activation of the video material in the reverse direction during playback mode). Therefore, it would have been obvious to an artisan at the time of the invention to include Mitsubishi Owner Manual's teaching of a first and third key having differing shuttle speed wherein a first actuation of the second key after the first or second actuations of the first key or after the first or second key or after the first or second actuations of the third key causes the video material to be paused upon a second actuation and wherein the second key is between the first and third keys to Anderson's teaching of a first and third key having a shuttle speed in order to provide users with a layout indicative of related functions such as variable shuttle speeds.

Claim 66:

The modified Anderson teaches the shuttle speed being increments corresponding to a frame per second rate of the video information (Anderson: p. 68 and 69).

5. Claims 48-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Video editing and Post Production: A Professional Guide 2d ed. by Gary Anderson in view of Mills et al. (US 5,202,961).

Claim 48:

Anderson teaches 36 alphanumeric keys and additional keys with typographical symbols disposed in a standard keyboard layout (p. 68 and 69). Anderson teaches a

set of three adjacent keys including a first key bearing a label indicative of a reverse shuttling function wherein the first of the three keys is a "J" QWERTY keyboard layout and wherein the second of the three keys is a "K" key and the third of the three keys is a "L" key (p. 68 and 69). Anderson teaches a second key bearing a label indicative of a pause function (p. 68 and 69). Anderson teaches a third key bearing a label indicative of a forward shuttling function (p. 68 and 69). Anderson does not explicitly disclose a first key to be on the user's left bearing a label indicative of a reverse shuttling function. a second/central key bearing a label indicative of a pause function and a third key on the user's right bearing a label indicative of a forward shuttling function. Mills teaches a first button to be on the user's left bearing a label indicative of a reverse shuttling function, a second/central button bearing a label indicative of a pause function and a third button on the user's right bearing a label indicative of a forward shuttling function (figs. 2-3). Therefore, it would have been obvious to an artisan at the time of the invention to include Mills arrangement of buttons to Anderson's arrangement of keys in order to provide users with an additional and alternative arrangement in selecting functions. Anderson and Mills still do not explicitly disclose the three keys is a "L" QWERTY keyboard layout and wherein the second of the first of the three keys is a "K" key and the third of the three keys is a "J" key. Official Notice is taken that instructions assigned to a key such as shortcut key(s) or "hot key(s)" is well known in the art. Therefore, it would have been obvious to an artisan at the time of the invention to include instructions assigned to a key to the teachings of Anderson and Mills in order to provide users with the ability to customize shortcut keys.

Application/Control Number: 09/645,871 Page 15

Art Unit: 2174

Claim 49:

The modified Anderson teaches a set of four adjacent keys including a first key bearing a label indicative of a function for reverse trimming of a plurality of frames, a second key bearing a label indicative of a function for reverse trimming of one frame, a third key bearing a label indicative of a function for forward trimming of one frame (p. 68 and 69). Anderson teaches a fourth key bearing a label indicative of a function for forward trimming of a plurality of frames (Anderson: p. 68 and 69).

Claim 50:

Anderson teaches a set of three adjacent keys including a first key bearing a label indicative of a function for trimming a clip prior to the transition (p. 68 and 69). Anderson teaches a second key bearing a label indicative of a function for trimming clips both before and after the transition, and a third key bearing a label indicative of a function for trimming of a clip after the transition (p. 68 and 69).

6. Claims 67 and 68 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Video editing and Post Production: A Professional Guide 2d ed.* by Gary Anderson Claims 67 and 68:

Anderson teaches a random access computer readable medium for storing video information in one or more data files in a computer file system (p. 66). Anderson teaches a display (p. 66). Windows displays require a display device. Anderson teaches a standard alphanumeric keyboard (p. 68 and 69). Anderson teaches a computing apparatus operative in response to user input to display video information form the one or more data files on the display (p. 68 and 69). Anderson teaches the

Page 16

operative in response to signals from a first set of keys on a left hand side of a standard alphanumeric keyboard with 36 alphanumeric keys to control marking operations on the video information and operative in response to signals from a second set of keys on a right hand side of the standard alphanumeric keyboard to control shuttling of playback of the video information (p. 68 and 69). Anderson teaches an operative in response to signals from a third set of keys on the right hand side of the standard alphanumeric keyboard to control trimming of the marked video information (p. 68 and 69). Anderson does not explicitly disclose the three keys is a "L" QWERTY keyboard layout and wherein the second of the first of the three keys is a "K" key and the third of the three keys is a "J" key. Official Notice is taken that instructions assigned to a key such as shortcut key(s) or "hot key(s)" is well known in the art. Therefore, it would have been obvious to an artisan at the time of the invention to include instructions assigned to a key to the teachings of Anderson in order to provide users with the ability to customize shortcut keys.

7. Claim 69 is rejected under 35 U.S.C. 103(a) as being unpatentable over Video editing and Post Production: A Professional Guide 2d ed. by Gary Anderson in view of Mills et al. (US 5,237,648).

Claim 69:

As per claim, although the modified Anderson teaches an alphanumeric keyboard for use with a video editing system (pp. 68-69), Anderson does not explicitly disclose including a timeline module operative to display a horizontal timeline on a display, and wherein the timeline module is operative to move the timeline during

shuttling. Mills teaches a timeline module operative to display a horizontal timeline on a display, and wherein the timeline module is operative to move the timeline during shuttling (fig. 2 and respective portions of the specification). Therefore, it would have been obvious to an artisan to include Mill's timeline module operative to display a horizontal timeline on a display, and wherein the timeline module is operative to move the timeline during shuttling to the modified Anderson's alphanumeric keyboard for use with a video editing system in order to provide users with an additional control that is indicative of a frame position in the video.

Allowable Subject Matter

8. Claim 51-64 are allowed.

The following is an examiner's statement of reasons for allowance:

The prior art made of record fails to anticipate or make obvious the claimed invention. Specifically, the prior art fails to teach, in combination with the remaining elements:

the method wherein a single actuation of a first of the four keys causes a plurality of images to be trimmed in a reverse direction, a single actuation of a second of the four keys causes one image to be trimmed in a reverse direction, a single actuation of a third of the four keys causes a plurality of images to be trimmed in a reverse direction, and a single actuation of a fourth of the four keys causes one image to be trimmed in a reverse direction as recited in claims 51 and 63.

Although Anderson, Mills and Mitsubishi teach a substantial amount of the claimed matters, Anderson, Mills and Mitsubishi fail to anticipate or render the above underline limitations obvious.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Response to Arguments

9. Applicant's argument(s) with respect to an amendment filed 11/4/04 has been considered but is most in view of the new ground(s) of rejection, except for the following.

Applicant argued the following:

Mitsubishi does not reverse slow motion playback speed, it only slows it.

The examiner disagrees for the following reasons:

Mitsubishi does teach both slow motion playback speed (pages 9-10; *i.e. upon selection of stop and playback*).

Conclusion

10. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP §

706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Inquires

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Lê Nguyen whose telephone number is (571) 272-4068. The examiner can normally be reached on Monday - Friday from 7:00 am to 3:30 pm (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine Kincaid, can be reached on (703) 308-0640.

The fax numbers for the organization where this application or proceeding is assigned are as follows:

(703) 872-9306 [Official Communication]

Application/Control Number: 09/645,871

Art Unit: 2174

Page 20

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

KRISTINE KINCAID
SUPERVISORY PATENT EXAMMER
TECHNOLOGY CENTER 2100

LVN
Patent Examiner
OctoberOctober 23, 2005